

Product Range Overview







ROTARY VALVE TRC /MEDIUM DUTY VALVE TYPE /(MD)





In board bearing powder and pellet handling rotary valve for free flow feeding, high vacuum and low pressure pneumatic conveying system Vacuum down to – 500 mBar
Pressure up to + 150 mBar
Size 4,6,8,10,12,14,16 inches

ROTARY VALVE TRC / HEAVY DUTY VALVE TYPE / (HD)





Out board bearing, powder handling rotary valve for high vacuum & pressure pneumatic conveying system

Vacuum down to – 500 mBar Pressure up to + 500 mBar Size 4,6,8,10,12,14,16 inches

ROTARY VALVE TRC / LIGHT DUTY FEEDING TYPE / (LF)





In board bearing, powder handling rotary valve for feeding, very low vacuum & pressure pneumatic conveying system
Vacuum down to – 50 mBar
Pressure up to + 50 mBar
Size 4,5,6,8,10,12,14,16 inches

ROTARY VALVE TRC / COMPACT TYPE





Compact & Easy clean Type, powder handling rotary valve for feeding, medium vacuum & low pressure pneumatic conveying system
Vacuum down to -250 to 500 mBar
Pressure up to + 100 to 200 mBar
Size 4,5,6,8 inches

ROTARY VALVE TRC /DOUBLE BEARING COMPACT TYPE





Compact Type, double bearing, powder handling rotary valve for feeding, high vacuum & low pressure pneumatic conveying system

Vacuum down to -500 mBar

Pressure up to + 200 mBar

Size 8,10,12,14,16 inches

ROTARY VALVE TRC / HEAVY DUTY BLOW THROUGH TYPE (HD-BL)





Out board bearing blow through, powder & pellet handling rotary valve for high vacuum & pressure pneumatic conveying system
Vacuum down to – 500 mBar
Pressure up to + 500 mBar
Size 4,5,6,8,10,12,14,16 inches



ROTARY VALVE TRC / EASY CLEAN HAVY DUTY TYPE /(ES-HD)



Quick detachable, Easy clean Type, powder handling rotary valve for high vacuum & pressure pneumatic conveying system
Vacuum down to -500 mBar
Pressure up to + 500 mBar
Size 4,5,6 inches

ROTARY VALVE TRC / EASY CLEAN HEAVTY DUTY – SLIDE ARMS TYPE / (HD-SL)



Slide arm Quick detachable, Easy clean Type, powder handling rotary valve for high vacuum & pressure pneumatic conveying system
Vacuum down to -500 mBar
Pressure up to +500 mBar
Size 8,10,12,14,16 inches

ROTARY VALVE TRC / EASY CLEAN HEAVTY DUTY BLOW THROUGH SLIDE ARMS / (HBL-SL)





Quick detachable, Easy clean blow through Type, powder handling rotary valve for high vacuum & pressure pneumatic conveying system

Vacuum down to -500 mBar

Pressure up to +500 mBar

Size 8,10,12,14,16 inches

ROTARY VALVE TRC / PELLET TYPE (PL)





In board bearing pellet handling rotary valve for high vacuum and low pressure pneumatic conveying system

Vacuum down to – 500 mBar

Pressure up to + 200 mBar

Size 6,8,10,12,14,16 inches

ROTARY VALVE TRC / WOOD DUST HAVY DUTY TYPE /(WD)





Out board bearing with hard chromed internal surface wood dust handling rotary valve for high vacuum & pressure pneumatic conveying system

Vacuum down to – 500 mBar

Pressure up to + 500 mBar

Size 16,20 inches

DROP OUT BOX (Light Duty Venture for Rotary Valve)



Material in Carbon steel , Stainless steel 304, 316 Size 4,5,6,8,10,12,14,16 inches

FLAP TYPE PNEMATIC CONVEYING DIVERTER VALVE TRC



Flap Type, powder & pellet handling diverter valve for medium vacuum & high pressure pneumatic conveying system

Vacuum down to -300 mBar Pressure up to + 500 mBar Size 3,4,5,6,8,10 inches

GRAVITY FEED TYPE DIVERTER VALVE TRC





Flap Type, powder & pellet handling diverter valve for gravity feeding Size 4,5,6,8,10,12,14,16,18,20 inches







Ball Type, Carbon steel ,Stainless steel 304
Size 2,3,4,5 inches

TAILOR MADE DIVERTER VALVE







Tailor made, Carbon steel, Stainless steel 304 Size,4,5,6,8,10 inches

SCALE VALVE /FILL VENT VALVE





Carbon steel, Stainless steel 304, 316 Size 2,3,4,5,6,8,10 inches

PRODUCT SAMPLING VALVE FOR FOOD INDUSTRY







Piston type Product Sampling valve Stainless steel 304, 316 Size 2.0 inches



88 Karnjanapisek road Bangbon Bangkok 10150 Thailand

E-mail: sales@thereccorp.com

Tel: 662 893 9003-4 Fax: 662 893 9178

www.thereccorp.com